# Forest Stand Improvement for Wildlife

Job Sheet

Natural Resources Conservation Service (NRCS)
Missouri Department of Conservation (MDC)
University of Missouri Extension – The School of Natural Resources

For:	County:
Field(s):	Farm #:
Date:	Tract #:
Designed By:	Contact Information:

## WHAT IS FOREST STAND IMPROVEMENT FOR WILDLIFE?

PURPOSE: Forest Stand Improvement for wildlife is a forest management technique used to remove unwanted trees from an area in order to improve forest stand composition. This process opens up the canopy so that more sunlight can reach the ground providing increased plant growth in the understory. This improves understory plant diversity which benefits wildlife habitat.



## SPECIFICATIONS:

- The thinning procedure should minimize damage to the land and remaining trees.
- Thin to 60 percent stocking or less to encourage fuller crown development, increased seed production and heavier herbaceous plant development. Follow stand specific recommendation on page 2.
- Favor hard-mast producers (oak, hickory, pecan and walnut) and conifers (evergreen species).
- Leave or establish seven snags and seven den trees per acre, ranging in size from six to 20 inches Diameter Breast Height (DBH).
- Leave four to six vines per acre. Favor trees with vines that will be left as den trees or oak species greater than 10 inches DBH.

## MAINTENANCE:

- At least every 10 years monitor sites to determine if it is necessary to retreat the area.
- Rotate thinning through each stand to establish various stages of plant succession.
- Consider prescribed burning to help encourage herbaceous plant growth. Burn only under an approved burn plan from NRCS or MDC.

### PRIMARY HABITAT CONSIDERATIONS:

- Provide natural food sources for quail, deer, turkey and other wildlife.
- Improve forest stand diversity.

Consult with NRCS or MDC wildlife biologists and private land conservationists, NRCS forester, or University Extension for additional recommendations.

# STAND SPECIFIC RECOMMENDATIONS:

Existing Planned Reduction	Basal Area (sq. ft.)	Trees/acre
Thinning Levels	s Basal Area Rec	duction
Light	20-30 sq. ft.	
Mediun	n 30-40 sq. ft.	
Heavy	>40 sq. ft.	



# Comment:







The United States Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternate means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326W, Whitten Building, 14th and Independence Avenue SW, Washington, DC, 20250-9410, or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.